


Memory & Cognition

Hexagon Synchronizers



Consider Reflection Therapy regarding performance, stress, etc. Do NFP from Frontals/Cranium to Ureters (all NFP Sites).

Connect all the synchronizers to the frontals and other parts of the head.

1. On lung mid scapular spine
2. On lung posterior - inferior axilla at 4th rib, can lower arm once it is located; most posterior arm pit access.
3. On the anterior fold of the glenohumeral joint capsule. Connect To: a) Ear
4. On lung posterior - lateral scapular spine (just below spine of scapula centrally, superior scapula slightly medial), bilateral
5. Between pituitary and sella turcica
6. Anterior wrist, on top of capitate. Connect To: a) Ears; b) Eyes; c) Nose; d) Mouth
7. Immediately inferior to the temporoparietal suture, midline. Connect to areas of symptoms. (side of head)
8. Two in. posterior to coronal suture and 1.5 in lateral, from sagittal suture. Connect To: a) Connect NFP Site and to C7/T1; T12/L1; L5/S1; O/A; SC; SphenoBasilar
9. Directly inferior to center of the nose, on the suture line between maxilla
 - Connect To: a) The Sensory Receptors to: Eyes (vision); Ear (hearing); Nose (smell); Mouth (tasting); Fingers (touch)